

## **SECTION 1: IDENTIFICATION OF THE PREPARATION AND THE COMPANY**

**PRODUCT NAME:** BOWL CLIP (HONEYSUCKLE)

**RECOMMENDED USE:** Deodorizer

**RESTRICTIONS ON USE:** For intended use only

### **MANUFACTURED FOR:**

Waypoint Corporation  
Suite 1, Franklyn House  
Daux Road  
Billingshurst  
West Sussex RH14 9SJ

**TELEPHONE:** 01403 782632

**EMERGENCY CONTACT (spill/release):** 01444 220999

**EMAIL:** info@waypointcorp.co.uk

## **Section 2: HAZARDS IDENTIFICATION**

**General:** Contains small amounts of chemicals that are hazardous to health and the environment but in quantities too small to constitute any practical risks to health or the environment.  
Combustible material.

### **UNDER EC REGULATION 1272/2008 AS AMENDED ("CLP")**

|               |      |
|---------------|------|
| Skin Irrit. 2 | H315 |
| Skin Sens. 1  | H317 |
| Eye Irrit. 2  | H319 |

### **UNDER EC REGULATION 1272/2008 AS AMENDED ("CLP")**

#### **Signal word:**

WARNING

#### **Pictograms:**

Exclamation mark



#### **Hazard Statements:**

|      |                                       |
|------|---------------------------------------|
| H315 | : Causes skin irritation              |
| H317 | : May cause an allergic skin reaction |
| H319 | : Causes serious eye irritation       |

#### **Precaution Statements:**

P103: Read label before use  
P273: Avoid release to the environment  
P280: Wear protective gloves/protection clothing/eye protection/face protection  
P302 + P352: IF ON SKIN: Wash with plenty of water  
P333 + P313: If skin irritation or rash occurs: Get medical advice/attention  
P501: Dispose of contents/container to approved containers

#### **Labelling According to EU Guidelines**

Xi: Irritant

## **SECTION 3: INGREDIENT INFORMATION**

**Chemical Identification:** Solid plastic slow-release deodorizing preparation in the form of a molded urinal screen. It is made from pigmented thermoplastic impregnated with a fragrance composition and color to represent the fragrance. For institutional use only.

**Form/Shape:** Toilet bowl clip weighs approximately 52g.

**CAS Number:** Not applicable since the product is a preparation.

**EINECS/ELINCS #:** Not applicable since the product is a preparation.

The product is a complex mixture of substances of which the following have been classified as presenting a health or environmental hazard or as having an occupational exposure limit within the meaning of the Directive 67/548/EEC or 1999/45/EC

| Level (%) | CAS Nr     | EC Nr     | Substance  | Hazard Classification                         |  |
|-----------|------------|-----------|--|---|--|
|           |            |           |  | (Dir. 67/548/CE)                              | (Reg. CE 1272/2008)  |
| 60-80%    | 24937-78-8 |           | ETHYLENE-VINYL ACETATE COPOLYMER                             |   |  |
| 0.3-3%    | 78-70-6    | 201-134-4 | 3,7-Dimethylocta-1,6-dien-3-ol                               | R36/38 Xi                                     | H315 Skin Irrit. 2   |
| 0.2-2%    | 105-87-3   | 203-341-5 | 2,6-OCTADIEN-1-OL, 3,7-DIMETHYL-, ACETATE, (E)-              | R51/53 N                                      | H411 Aquatic Chronic 2   |
| 0.3-3%    | 5413-60-5  | 226-501-6 | 3a,4,5,6,7,7a-Hexahydro-4,7-methanoinden-6-yl acetate        | R52/53  | H412 Aquatic Chronic 3   |
| 0.2-2%    | 17511-60-3 | 241-514-7 | 3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-inden-6-yl propionate | R51/53 N                                      | H411 Aquatic Chronic 2   |
| 0.3-3%    | 103-45-7   | 203-113-5 | ACETIC ACID, 2-PHENYLETHYL ESTER                             | R36 Xi  | H319 Eye Irrit. 2  |
| 0.1-1%    | 142-92-7   | 205-572-7 | ACETIC ACID, HEXYL ESTER                                     | R51/53 N                                      | H411 Aquatic Chronic 2   |
| 0.1-1%    | 101-84-8   | 202-981-2 | BENZENE, 1,1'-OXYBIS-  | R51/53 N                                      | H411 Aquatic Chronic 2   |
| 0.3-3%    | 60-12-8    | 200-456-2 | BENZENEETHANOL   | R36 Xi  | H319 Eye Irrit. 2  |
| 0.3-3%    | 151-05-3   | 205-781-3 | 1,1-Dimethyl-2-phenylethyl acetate                           | R52/53  | H412 Aquatic Chronic 3   |
| 0.1-1%    | 80-54-6    | 201-289-8 | BENZENEPROPANAL, 4-(1,1-DIMETHYLETHY)-a METHYL-              | R38 Xi<br>R43<br>R51/53 N<br>R62 Repr. Cat. 3 | H315 Skin Irrit. 2<br>H317 Skin Sens. 1<br>H411 Aquatic Chronic 2<br>H361f Repr. 2 |
| 0.1-1%    | 103-95-7   | 203-161-7 | BENZENEPROPANAL, a-METHYL-4-(1-METHYLETHYL)-                 | R38 Xi<br>R43<br>R51/53 N<br>R62 Repr. Cat. 3 | H315 Skin Irrit. 2<br>H317 Skin Sens. 1<br>H411 Aquatic Chronic 2<br>H361f Repr. 2 |
| 0.2-2%    | 2050-08-0  | 218-080-2 | BENZOIC ACID, 2-HYDROXY-, PENTYL ESTER                       | R51/53 N                                      | H411 Aquatic Chronic 2   |
| 0.2-2%    | 120-51-4   | 204-402-9 | BENZYL BENZOATE  | R22 Xn<br>R51/53 N                            | H302 Acute Tox. 4<br>H411 Aquatic Chronic 2  |
| 0.3-3%    | 128-51-8   | 204-891-9 | BICYCLO[3.1.1]HEPT-2-ENE-2-ETHANOL, 6,6-DIMETHYL-, ACETATE   | R52/53  | H412 Aquatic Chronic 3   |
| 0.3-3%    | 122-40-7   | 204-541-5 | HEPTANAL, 2-(PHENYLMETHYLENE)-                               | R43<br>R51/53 N                               | H317 Skin Sens. 1<br>H411 Aquatic Chronic 2  |
| 0.1-1%    | 93-18-5    | 202-226-7 | NAPHTHALENE, 2-ETHOXY-                                       | R38 Xi<br>R51/53 N                            | H315 Skin Irrit. 2<br>H411 Aquatic Chronic 2                                       |
| 0.2-2%    | 93-04-9    | 202-213-6 | NAPHTHALENE, 2-METHOXY-                                      | R51/53 N                                      | H411 Aquatic Chronic 2   |
| 0.3-3%    | 107-75-5   | 203-518-7 | OCTANAL, 7-HYDROXY-3,7-DIMETHYL-                             | R38 Xi<br>R43                                 | H315 Skin Irrit. 2<br>H317 Skin Sens. 1  |
| 0.1-1%    | 8022-15-9  | 294-470-6 | OILS, LAVANDIN   | R51/53 N                                      | H411 Aquatic Chronic 2   |
| 0.3-3%    | 8000-41-7  | 232-268-1 | TERPINEOL  | R38 Xi  | H315 Skin Irrit. 2   |
| <0.3%     | 5392-40-5  | 226-394-6 | 2,6-OCTADIENAL, 3,7-DIMETHYL-                                | R43<br>R38 Xi                                 | H317 Skin Sens. 1<br>H315 Skin Irrit. 2  |
| <0.3%     | 68039-49-6 | 268-264-1 | 2,4-Dimethylcyclohex-3-ene-1-carboxaldehyde                  | R43   | H317 Skin Sens. 1  |
| <0.3%     | 122-78-1   | 204-574-5 | BENZENEACETALDEHYDE  | R43   | H317 Skin Sens. 1  |
| <0.3%     | 97-53-0    | 202-589-1 | PHENOL, 2-METHOXY-4-(2-PROPENYL)-                            | R43   | H317 Skin Sens. 1  |

#### SECTION 4: FIRST AID MEASURES

**General:** No specific acute effects or symptoms are known.

**Inhalation:** No acute effects expected. If person is feeling unwell, remove to fresh air.

**Ingestion:** Possibility of ingestion limited due to product form and difficulty to chew and ingest. In the event of ingestion, rinse mouth thoroughly with water.

**Skin:** Wash off with soap and water.

**Eyes:** Possibility of eye contact limited. In the event, wash thoroughly with water or approved eyewash.

#### SECTION 5: FIRE FIGHTING MEASURES

**Extinguishing Media:** Use extinguishing media appropriate for the surrounding fire. Water spray, fog or mist. Dry chemicals, sand etc.

**Exposure Hazards :** Thermal decomposition or burning may release a variety of products ranging from simple hydrocarbons to toxic/irritating gases including carbon monoxide and carbon dioxide. Full protective clothing should be worn before a confined fire space is entered. Self-contained breathing apparatus should be worn.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

No special requirements for accidental release required. Apply good housekeeping practices.



#### **SECTION 7: HANDLING AND STORAGE**

Usage Precautions: Follow normal good-housekeeping practices. Keep away from direct flames.

Storage Precautions: Keep in cool, dry conditions in original containers at no more than 30° C

#### **SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION**

Occupational Exposure limit: Not Established

Respiratory Protection: None required under normal usage

Protection: Although unexpected, avoid prolonged skin contact. Use chemically resistant gloves as needed.

Eye Protection: None required

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Thermoplastic clip infused with fragrance oil.

Odor: Honeysuckle (Clear Screen)

Odor Threshold: Not determined

Color: Clear

pH value: Not determined/applicable

Melting Pt: Estimated 60° C

Boiling Pt: Not applicable.

Flash pt: Not applicable.

Evaporation Rate: Not applicable.

Flammability: Not determined/applicable

UEL: Not determined

LEL: Not determined

Vapor Pressure: Not determined/applicable

Vapor Density: Not determined/applicable

Relative Density: Not determined

Solubility in water: Insoluble.

Partition Coefficient: Not determined

Autoignition Temperature: Not applicable

Decomposition Temperature: Not determined/applicable

#### **SECTION 10: STABILITY AND REACTIVITY**

Stability: Normally stable.

Conditions to avoid: Avoid extreme heat and naked flames.

Materials to avoid: Strong oxidizing agents.

Decomposition Products: None under normal storage conditions.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

Acute Effects: Ingredients include a small quantity of volatile fragrance chemicals which may contain small amounts of substances that are harmful if swallowed and/or irritating to the eyes and skin.

Chronic Effects: None are known.

Health Risks:

INHALATION: Prolonged exposure to volatile ingredients is unlikely to cause irritation or other adverse health effects.

INGESTION: No practical risk of adverse health effects.

SKIN CONTACT: No practical risk of adverse health effects.

EYE CONTACT: No practical risk of adverse health effects.

#### **SECTION 12: ECOLOGICAL INFORMATION**

No specific information has been established regarding the product. However according to the conventional method of Directive 99/45/EC the product is classified as harmful to aquatic organisms, or causing long-term effects in the aquatic environment.

Ecotoxicity: N/A

Persistence and Degradability: N/A

Bioaccumulative Potential: N/A

Mobility in Soil: N/A

Other Adverse Effects: N/A

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Dispose of in accordance with Local Authority requirements e.g., for used product, as household waste



#### **SECTION 14: TRANSPORT INFORMATION**

Product is not regulated as hazardous  
DOT Classifications: Non Hazardous  
UN-Number: N/A  
UN Proper Shipping Name: N/A  
Transport Hazard Class: N/A  
Packing group: N/A  
Marine Pollutant: N/A  
Special Precautions with Transport: N/A

#### **SECTION 15: REGULATORY INFORMATION**

Classification, Packaging and Labelling according to Directive 99/45/EC

##### Signal word:

WARNING

##### Pictograms:

Exclamation mark

##### Hazard Statements:

H315 : Causes skin irritation  
H317 : May cause an allergic skin reaction  
H319 : Causes serious eye irritation

##### Precaution Statements:

P103: Read label before use  
P273: Avoid release to the environment  
P280: Wear protective gloves/protection clothing/eye protection/face protection  
P302 + P352: IF ON SKIN: Wash with plenty of water  
P333 + P313: If skin irritation or rash occurs: Get medical advice/attention  
P501: Dispose of contents/container to approved containers

#### **SECTION 16: OTHER INFORMATION**

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS)