



SAFETY DATA SHEET TROUGH URINAL SCREEN - MANGO

Date Issued: 16/03/2017

SECTION 1: IDENTIFICATION OF THE PREPARATION AND THE COMPANY

PRODUCT NAME: Trough Urinal Screen (Mango)

RECOMMENDED USE: Deodorizer. For professional use only.

RESTRICTIONS ON USE: For intended use only

SUPPLIER OF SAFETY DATA SHEET:

Waypoint Distributors Ltd
Suite 1, Franklyn House
Daux Road
Billingshurst
West Sussex
RH14 9SJ
Tel: 01273 831035
Fax: 0845 260 1995
Email: sales@waypointcorp.co.uk
Web: www.waypointdistributors.co.uk
Emergency Tel: 01444 220999

Section 2: HAZARDS IDENTIFICATION

General: Contains small amounts of chemicals that are hazardous to health and the environment but in quantities too small to constitute any practical risks to health or the environment.

Combustible material.

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Eye Irrit. 2 - H319 Skin Sens. 1 - H317

Environmental hazards Aquatic Chronic 3 - H412

2.2. Label elements

Pictogram



Signal word: WARNING

Pictograms: Exclamation mark

Hazard Statements:

H317 : May cause an allergic skin reaction.

H319 : Causes serious eye irritation.

H412 : Harmful to aquatic life with long lasting effects

Precaution Statements:

P273: Avoid release to the environment

P280: Wear protective gloves/protection clothing/eye protection/face protection



SAFETY DATA SHEET

TROUGH URINAL SCREEN - MANGO

P302 + P352: IF ON SKIN: Wash with plenty of water
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses, if present and easy to do. Continue rinsing.
 P333 + P313: If skin irritation or rash occurs: Get medical advice/attention
 P337+P313: If eye irritation persists: Get medical advice/attention.
 P501: Dispose of contents/ container in accordance with national regulations.

Contains 2-benzylideneheptanal, Ethyl 2,3-epoxy-3-phenylbutyrate, Eugenol, CITRAL, 2H-1-BENZOPYRAN-2-ONE, 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)but-3-en-2-one, 2,4-Dimethylcyclohex-3-ene-1-carboxaldehyde

Labelling According to EU Guidelines

Xi: Irritant

SECTION 3: INGREDIENT INFORMATION

Chemical Identification: Solid plastic slow-release deodorizing preparation in the form of a urinal air freshener/deodorizer. It is made from pigmented thermoplastic impregnated with a fragrance composition and color to represent the fragrance. For institutional use only.

Form/Shape: Urinal screen weighs approximately 105g.

CAS Number: Not applicable since the product is a preparation.

EINECS/ELINCS #: Not applicable since the product is a preparation.

The product is a complex mixture of substances of which the following have been classified as presenting a health or environmental hazard or as having an occupational exposure limit within the meaning of the Directive 67/548/EEC or 1999/45/EC

Level (%)	CAS Nr	EC Nr	Substance	Hazard Classification	
				(Dir. 67/548/CE)	(Reg. CE 1272/2008)
60-80%	24937-78-8		ETHYLENE-VINYL ACETATE COPOLYMER		
<.1%	N/A	N/a	Bacteria		
<6%	5413-60-5	226-501-6	3a,4,5,6,7,7a-Hexahydro-4,7-methanoinden-6-yl acetate	R52/53	H412 Aquatic Chronic 3
<3.5%	104-67-6	203-225-4	Undecan-4-olide	R52/53	H412 Aquatic Chronic 3
<3.5%	17511-60-3	241-514-7	3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-inden-6-yl propionate	R36 Xi R51/53 N	H319 Eye Irrit. 2 H411 Aquatic Chronic 2
<3.5%	151-05-3	205-781-3	1,1-Dimethyl-2-phenylethyl acetate	R52/53	H412 Aquatic Chronic 3
<3.5%	120-51-4	204-402-9	BENZYL BENZOATE	R22 Xn R51/53 N	H302 Acute Tox. 4 H411 Aquatic Chronic 2
<3.5%	10094-34-5	233-221-8	alpha,alpha-Dimethylphenethyl butyrate	R51/53 N	H411 Aquatic Chronic 2
<3.5%	106-27-4	203-380-8	3-Methylbutyl butyrate	R52/53	H226 Flam Liq. 3 H412 Aquatic Chronic 3

☇070707 dZKh',hZ/EZP?P'K

DNEL and/or PNEC information is supplied by manufacturers of substances in accordance with REACH legislation (Regulation (EC) No 1907/2006), and is used to provide suitable risk reduction measures to limit exposure of the user of the substance to a non-hazardous level. If the measured level of exposure by a route divided by the DNEL for the route is greater than 1, then further exposure controls should be implemented as described in section 8.2. Where new information becomes available under REACH, this will be passed on as revisions to the Safety Data Sheet.

DNEL Professional - Inhalation; Long term systemic effects: 8.07 mg/m³

Professional - Inhalation; Long term local effects: 8.07 mg/m³

PNEC - Fresh water; 0.943 mg/l

- Marine water; 0.0943 mg/l
- Intermittent release; 3.44 mg/l
- Sediment (Freshwater); 7.24 mg/kg
- Sediment (Marine water); 0.724 mg/kg
- Soil; 1.26 mg/kg
- STP; 24.8 mg/l

Protective equipment:



Personal protection The PPE indicated above is not a COSHH assessment. It represents PPE that should be considered during the manufacture, distribution, use and final disposal stages of this product's life cycle. It is the responsibility of employers to conduct a COSHH/risk assessment to determine appropriate PPE levels. The information given below should be used to support this assessment. Where possible, replace manual processes with automated or closed processes to minimise contact with the product.

Eye/face protection The following protection should be worn: Refer to EN Standard 166 to select appropriate level of protection. Chemical splash goggles.

Hand protection Rubber (natural, latex). Polyvinyl chloride (PVC). Refer to Standard EN 374. Neoprene.

Hand Protection: Nitrile gloves, 0.2mm, breakthrough time >240 minutes

Other skin and body protection

Provide eyewash station. Wear suitable protective clothing as protection against splashing or contamination. Reference to EN 13832 and EN 943 is useful when selecting footwear and clothing.

Hygiene measures Promptly remove non-impervious clothing that has become contaminated, provided it is not adhered to the skin. Wash contaminated clothing before reuse.

Provide eyewash station and safety shower.

Respiratory protection Not normally required.

Environmental exposure controls

Do not allow the substance to contaminate surface water/ground water. See points 6, 12 & 13.

General Health and Safety Measures.

A full Risk Assessment should be carried out before handling any chemical(s). Risk Assessments should refer to COSHH, and any other relevant legislation or industry specific guidelines governing the use of chemicals.

DNEL - Derived No Effect Limit.

PNEC - Predicted No Effect Concentration.

COSHH - Control of Substances Hazardous to Health.

Industry - Refers in section 8 to application of the substance in an industrial process.

Professional - Refers in section 8 to application/use of the preparation/product in a skilled trade premises.

General information This document is a Safety Data Sheet, NOT a CoSHH assessment. It is the customer's responsibility to conduct a full CoSHH assessment, taking into account the information held within this document along with other local factors considered in a risk assessment. The Risk and Hazard statements listed below are the full text of abbreviations used in this document. They are not the final classification, for this refer to section 2.

Revision comments This is first issue.

Revision date 12/08/2015

SDS number 22983

Hazard statements in full H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

REACH extended MSDS comments

REACH requires that persons handling chemicals should take the necessary risk management measures, in accordance with assessments from manufacturers and importers of chemical substances. The relevant recommendations must be passed along the supply chain. These assessments are generally reported in Exposure Scenarios.

Where Exposure Scenarios have been provided for substances used in this product, the relevant information is incorporated into the safety data sheet.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use